

Listing of Claims:

1. (Currently Amended) A facsimile apparatus comprising:
a communication section which performs image data
communication by transmitting a mail indicating image data via a
mail transmission system;

5 a user operable section which writes an important mail flag
in the mail in accordance with an instruction made by a user when
the user requests transmission of the image data;

a printer;

10 a determining section which, if a delivery confirmation
mail, which notifies whether delivery of the mail has succeeded
or failed, has arrived, determines whether the delivery
confirmation mail notifies a delivery failure or a delivery
success of the mail transmitted from the communication section,
wherein the delivery confirmation mail includes the important
15 mail flag if the important mail flag is written in the mail
transmitted by the communication section;

a control section which causes the printer to print an image
based on the delivery confirmation mail if at least one of:

(i) the important mail flag is included in the delivery

20 confirmation mail and (ii) the determining section has determined
that the delivery confirmation mail notifies the delivery

failure, and which causes the printer not to print an image based on the delivery confirmation mail if both: (i) the important mail flag is not included in the delivery confirmation mail and
25 (ii) the determining section has determined that the delivery confirmation mail notifies the delivery success.

Claim 2 (Canceled).

3. (Previously Presented) A facsimile apparatus according to claim 1, wherein the mail transmitted by the communication section comprises an e-mail, to which the image data is attached as an attachment file, based on an e-mail protocol.

Claims 4-7 (Canceled).

8. (Currently Amended) A method of controlling a facsimile apparatus, wherein the facsimile apparatus includes: a printer, a communication section which performs image data communication, by transmitting a mail indicating image data via a mail transmission
5 system, and a user operable section which writes an important mail flag in the mail in accordance with an instruction made by a user when the user requests transmission of the image data, the method comprising:

determining, if a delivery confirmation mail, which notifies
10 whether delivery of the mail has succeeded or failed, has
arrived, whether the delivery confirmation mail notifies a
delivery failure or a delivery success of the mail transmitted
from the communication section, wherein the delivery confirmation
mail includes the important mail flag if the important mail flag
15 is written in the mail transmitted by the communication section;
and

causing the printer to print an image based on the delivery
confirmation mail if at least one of: (i) the important mail flag
is included in the delivery confirmation mail and (ii) it has
20 been determined that the delivery confirmation mail notifies the
delivery failure, and causing the printer not to print an image
based on the delivery confirmation mail if both: (i) the
important mail flag is not included in the delivery confirmation
mail and (ii) it has been determined that the delivery
25 confirmation mail notifies the delivery success.

Claims 9 and 10 (Canceled).

11. (Previously Presented) A method according to claim 8,
wherein the mail transmitted by the communication section
comprises an e-mail, to which the image data is attached as an
attachment file, based on an e-mail protocol.

12. (Currently Amended) A facsimile apparatus comprising:
communication means for performing image data communication
by transmitting a mail indicating image data via a mail
transmission system;

5 user operable means for writing an important mail flag in
the mail in accordance with an instruction made by a user when
the user requests transmission of the image data;

means for printing an image;

means for determining, if a delivery confirmation mail,
10 which notifies whether delivery of the mail has succeeded or
failed, has arrived, whether the delivery confirmation mail
notifies a delivery failure or a delivery success of the mail
transmitted by the communication means, wherein the delivery
confirmation mail includes the important mail flag if the
15 important mail flag is written in the mail transmitted by the
communication means; and

means for controlling the printing means to print an image
based on the delivery confirmation mail if at least one of:

(i) the important mail flag is included in the delivery
20 confirmation mail and (ii) the determining means has determined
that the delivery confirmation mail notifies the delivery
failure, and for controlling the printing means not to print an
image based on the delivery confirmation mail if both: (i) the
important mail flag is not included in the delivery confirmation

25 mail and (ii) the determining means has determined that the
delivery confirmation mail notifies the delivery success.

Claim 13 (Canceled).

14. (Previously Presented) A facsimile apparatus according
to claim 12, wherein the mail transmitted by the communication
means comprises an e-mail, to which the image data is attached as
an attachment file, based on an e-mail protocol.